

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("5745092") or ("4462069"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/07/25 09:38
S2	15986	(gradation grayscale brightness) and (transmiss\$3 and reflective)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 09:47
S3	178	S2 and 345/89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 09:47
S4	163	S3 and (@ad<="20021106")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 09:55
S5	61	S4 and (variable resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 09:56
S6	76480	(gradation grayscale brightness) and voltage V-transmissvity-T and reflective and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 10:40
S7	11	S6 and (variable adj resistor) and (series adj resistors) and divid\$3 adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 11:29
S8	194	(grayscale gradation level) and (store adj non-volatile) adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:31
S9	6	S8 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 11:41
S10	75	S8 and (@ad<="20021106")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:12

EAST Search History

S11	14	(grayscale gradation intensive) and memory adj stor\$3 adj (resistance R)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:27
S12	0	(grayscale gradation halftone)adj memory adj (resistance resistor) adj value and 345/89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:41
S13	0	(grayscale gradation)and memory adj (resistance resistor) and 345/89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:42
S14	4	(grayscale gradation)and memory adj (resistance resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:47
S15	2029	display and (gradation grayscale intensiive) and memory and (resistance risistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:49
S16	132	S15 and 345/89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 12:51
S17	119	S16 and (@ad<="20021106")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:09
S18	0	(gradation grayscale) adj memory with resistance adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:10
S19	4759	(gradation grayscale) and memory with (resistance value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:11
S20	95	S19 and 345/89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:25

EAST Search History

S21	82	S20 and (@ad<="20021106")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 13:12
S22	16	memory and "5250937"	USPAT	OR	OFF	2006/07/25 13:32
S23	1	("5250937").PN.	USPAT	OR	OFF	2006/07/25 13:33
S25	6402797	(gradation grayscale intensive) near\$3 memory near\$3 (resistance resistors)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 14:44
S26	52294	S25 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 14:45
S27	3308	S26 and 345/87-89.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 14:46
S28	110	S27 and non-volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 14:46
S29	87	S28 and (@ad<="20021106")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/07/25 14:47